

The teaching of subtraction in Chaddlewood Primary School



This calculation policy outlines the progression in mathematical strategies and skills from Foundation to Year 6, and the typical year group children will be in when they are first introduced to particular concepts. This calculation policy is to be used flexibly, as children in each year group may draw from year groups above and below their own, according to their ability.

It is essential that, in all year groups, subtraction is:


- taught alongside its inverse addition, as these important links will assist children in mastering the operation.
- involved in situations with rich problem solving activities and word problems.
- approached in a cross curricular manner wherever possible.

There are two key elements to subtraction:

- 1) 'Finding the difference' questions, which involve finding the difference between two quantities (for example 'how much bigger is 7 than 3?').

These problems normally comprise of words ending in 'er', such as bigger, smaller, taller and shorter. Often it is more common for people to want to count up from the smallest to the largest quantity

- 2) 'Finding what's left' questions, which involve 'taking away' a specific quantity in order to establish how much is left. In these problems it is more common for people to count backwards in finding a solution.




Throughout our school both of these key elements are addressed side-by-side, with children being encouraged to choose an appropriate method for working out problems (for example, should they jump forwards or backwards on a number line?)

Children will also be given many different types of problems, often which will look very different to what they are used to. This is true for all of the mathematical strategies throughout the calculation policy. For example, in calculating problems involving a missing number (for example $10 - 3 = \square$), children will also consider:

$$\square - 3 = 7 \quad 10 - \square = 7 \quad 7 = 10 - \square \quad 10 = \square - 3.$$

To help to develop the links between addition and subtraction the children will also use 'number trios'. Number trios demonstrate to the children that when they choose a 'trio', they can make four number sentences with them, by covering up particular numbers. These will be used even further by considering what would happen if we multiplied or divided each of the numbers by 10 or 100.




$$\begin{aligned} 2 + 4 &= 6 \\ 4 + 2 &= 6 \\ 6 - 2 &= 4 \\ 6 - 4 &= 2 \end{aligned}$$

Strategy	Rationale
Using songs and number rhymes Example ‘Five little speckled frogs’ ‘Five little men in a flying saucer’ ‘10 Green Bottles’ Subtraction vocabulary will be introduced. This includes ‘take away’, ‘less than’ and ‘subtract’. Children will be initially taught that, when subtracting, the answer is smaller than the starting number.	 Children will use their counting skills to find ‘one less’ than a quantity, using their fingers to help them to count (from 10). Children will also use objects, pictures, stories and songs to help develop their understanding. They will count and point using objects, and subtract them by physically moving each item. Whenever possible we use real life experiences to develop the children’s understanding of subtraction.
Subtraction using pictures The formal method of recording will be introduced. The children will continue to develop their understanding of the vocabulary associated with subtraction.	Using a picture helps children to visualise the problem (for example they could cross out each item as it is ‘taken away’). The children will respond to questions like ‘How many are left?’



Subtraction using a number line




Children will develop their ability to subtract (by 'taking away'). This will involve them jumping backwards on a number line. This will prepare them to deal with larger quantities, and it will also become more time efficient.

Example

What is 11 take away 7?

$$11 - 7 = \square$$




Start on 11, and 'jump back' 7 spaces.

$$11 - 7 = 4$$

Children start using a number line to subtract only units at a time (not tens).


Subtraction by finding the difference



After having experienced subtraction as 'taking away', the children will be introduced to subtraction as 'finding the difference'.


Example

Which plate holds the most: black or white?
How many more? What is the difference?



Example

What is the difference between 11 and 4?



Children will start on either number, and 'jump' until they reach the other (this is possible in either direction, but is normally thought of as 'jumping on').

Finding the difference is introduced pictorially. The first example shows how this type of problem is solved by counting the objects to find how many more are needed.

Children can also solve subtraction problems by counting on or counting back using a number line. The method that the children will use will depend upon how they 'see' a problem. If a child is stuck on the problem they will be encouraged to count on from the smallest number (as this is normally the case when, for example, finding the difference between the heights of 2 people).

Introducing a hundred square



Children will use a hundred square to 'jump back' particular amounts.

Example

7 count back 2 = 5

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

$$7 - 2 = 5$$

They will then move to a more efficient method of subtracting 10 to a number (jumping vertically rather than horizontally).

Example

48 count back 10 = 38

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

$$48 - 10 = 38$$

Children begin to use 100 squares as a tool to aid counting back in small steps (eg. in 1s or 2s)

Once secure they begin to use the 100 square to count back in tens.

Children learn that as they move down a row they subtract 10 each time.

Careful attention is given to possible misconceptions at this stage, especially jumping on their starting number, instead of always moving horizontally with each move.

Introducing partitioning (2 digit numbers)



Children will learn that numbers 10 or over (and under 100) are made up of TENS (left hand digit) and UNITS (right hand digit).

Partitioning a number involves splitting it up into TENS/UNITS to show the value of each digit.

Example
34 comprises of:



3 (tens)

4 (units)

Initially this will be practically done using 'Deines' (which comprise of sticks representing 'tens', and cubes representing 'units').

This method is also used when children are introduced to the idea of adding HUNDREDS.

As children become secure they will say the value of each digit without apparatus.

More complex subtraction using a hundred square



*Prior to using the hundred squares below the children will need to have a secure understanding of the value of each digit in a number, as determined by its position. This is called **place value**.*

Using a hundred square

2

Example

$$58 - 12 = \square$$

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

$$58 - 12 = 46$$

Subtracting 12 involves moving up a row, and then to the left 2 places.

Children learn to use hundred squares to subtract 2 digit numbers.

The children will be able to use a hundred square to 'find the difference' and to 'take away' as they gain in confidence with using it.

Subtraction using place value


2

A quantity can then be subtracted by first partitioning the starting number into 'tens' and 'units', and then removing a particular number of these (according to the amount to be subtracted).


Example

$$47 - 12 = \square$$


47 comprises of:




4 tens



7 units



1 ten and 2 units are 'taken away' (since we are subtracting '12')



leaving 3 tens and 5 units (35).

$$\text{so } 47 - 12 = 35$$

Children will be taught to subtract large numbers using partitioning. This can be done using sticks (representing the 'tens') and single cubes (representing the 'units')

Children will need lots of practical experience and discussion to understand this process.


Subtraction using a number line

2

At this stage the children will learn how to subtract a two-digit number by subtracting the 'tens' and 'units' within this number using two number line jumps (rather than just jumping back in units)..

Example

$$47 - 12 =$$



In this example, one 'ten' is subtracted, followed by two 'units'.

Using number lines it is easier to take larger jumps (eg. in 10s).

When using a number line, children will display their jumps above the line, and numerals underneath to aid presentation.

It is important for children here to appreciate that number lines go on infinitely, including into negative numbers.


Noticing shortcuts on number lines

2

Children will develop their ability to use a number line, including shorter methods to help them when appropriate.

Example


$$22 - 7 =$$



In this example, the children will recognise that they are able to jump to the next multiple of ten (subtracting 2), before subtracting the remainder (5).

Example

$$16 - 9 =$$



In this example, the children will recognise that '9' is nearly the same as subtracting 10. They will therefore subtract 10, before adjusting their answer to suit the question.


Counting on using a blank number line



The children will use a blank number line to count on and back in larger amounts, much like the strategies above. They will record significant numbers along the number line, and think carefully about how best to utilise their understanding of multiples of ten to help them when calculating.

Example

What is the difference between 23 and 60?




It is important for the children to display the number of 'jumps' they have made above the number line, so that these can easily be translated into a number sentence afterwards.

This blank number line strategy will be used to underpin the relationships between addition and subtraction.

The method that the children will use will depend upon how they 'see' a problem. If a child is stuck on the problem they will be encouraged to count on from the smallest number (as this is normally the case when, for example, finding the difference between the heights of 2 people).

Example

What is the difference between 24 and 61?



Notice here that there is no jump to the nearest multiple of ten, but this will be introduced for children who struggle with counting back in tens before moving to the method above.

Towards a formal method without 'exchanging'



Example

$$87 - 32 = ?$$

(Subtracting the tens)

$$80 - 30 = 50$$

(Subtracting the units)

$$7 - 2 = 5$$

$$50 + 5 = \underline{55}$$

Children will begin to move towards informal written methods. They use partitioning with no exchanging taking place between the 'tens' and 'units' numbers.

Example

$$87 - 32 = ?$$

$$87 - 30 = 57$$

$$57 - 2 = \underline{55}$$

**Towards a formal method
with 'exchanging'**



Children will move towards a formal method involving exchanging.

Example

$$87 - 39 = ?$$

(Subtracting the tens)

$$80 - 30 = 50$$

$$\begin{array}{c} \nearrow \\ \searrow \end{array} \rightarrow 50 - 2 = \underline{48}$$

(Subtracting the units)

$$7 - 9 = -2 \text{ ('negative two')}$$

Notice here that, because the method involves exchanging, subtracting the units will result in a negative number.

Children will develop an understanding of how this affects whether the two numbers (obtained after subtracting the tens, and subtracting the units) need to be added or subtracted.

Formal written methods (1)



The children will subtract a two-digit number from another using a formal written method, which does not involve exchanging.

Example

$$38 - 13 = ?$$

$$\begin{array}{r} 38 \\ - 13 \\ \hline 25 \end{array}$$

$$\text{so } 38 - 13 = 25$$

Children are introduced to column subtraction without any exchange.

Formal written methods (2)



Once children have mastered the subtraction strategy involving two digit numbers without exchanging, children will develop the ability to exchange when necessary.

Example

$$38 - 19 = ?$$

$$\begin{array}{r} \overset{2}{\cancel{3}}\overset{1}{8} \\ - 19 \\ \hline 19 \end{array}$$

At this stage the numbers will still be restricted to two-digit numbers.

Exchanging involves a 'ten' being exchanged for ten 'units' in order for a problem to be calculated correctly.

The term 'borrowing' must not be used, as the units are never exchanged back to a ten.

Formal written methods (3)



This process is then repeated for three-digit numbers, with the children experiencing first the calculation without a need to 'exchange'.

Example

$$243 - 122 = ?$$

$$\begin{array}{r} 243 \\ - 122 \\ \hline 121 \end{array}$$

$$\text{so } 243 - 122 = 121$$

Formal written methods (4)



Finally, the children will move on to a formal written method involving 'exchanging'.

Example

$$443 - 237 = ?$$

$$\begin{array}{r} \overset{3}{4}\overset{1}{\cancel{4}}\overset{1}{3} \\ - 237 \\ \hline 206 \end{array}$$

At this stage the numbers are no longer restricted.

Exchanging involves a higher digit being exchanged, for example a 'ten' being exchanged for ten 'units', or a 'hundred' being exchanged for ten 'tens'. This then enables a problem to be calculated correctly.

The term 'borrowing' must not be used as,

Example

$$400 - 199 = ?$$

$$\begin{array}{r} \overset{9}{\cancel{4}} \overset{1}{0} \overset{1}{0} \\ - 199 \\ \hline 201 \end{array}$$

for example, the units are never exchanged back to a ten.

Children will be encouraged to estimate and check their answers by using the reverse calculation.

Decimal numbers



Example

$$34.8 - 26.4 = ?$$

$$\begin{array}{r} \overset{2}{\cancel{3}} \overset{1}{4} . 8 \\ - 26.4 \\ \hline 08.4 \end{array}$$

$$\text{so } 34.8 - 26.4 = 8.4$$

The children will also be given opportunities to subtract numbers with a different number of decimal places (eg. $34.85 - 14.7$). The trick here is to put a 0 in any 'spare' space to help the mathematician to put the correct digit in the correct place.

Example

$$34.84 - 26.4 = ?$$

$$\begin{array}{r} 34.84 \\ - 26.40 \\ \hline 08.44 \end{array}$$

$$\text{so } 34.84 - 26.4 = 8.44$$